

Message

---

**From:** Nonresponsive based on revised scope [REDACTED]@WestonSolutions.com]  
**Sent:** 3/13/2019 7:29:00 PM  
**To:** Yap-deffler, Yazmine [Yap-Deffler.Yazmine@epa.gov]  
**CC:** Baker, Lorie [Baker.Lorie@epa.gov]; Mohollen, Laura [Mohollen.Laura@epa.gov]  
**Subject:** Blades and [REDACTED] info  
**Attachments:** Draft FSP - Blades, DE.pdf; Blades\_SI\_ARF\_092518.pdf; Blades\_SI\_ARF\_102318.pdf; Draft [REDACTED] FSP.pdf; [REDACTED] SI\_ARF\_102218.pdf

Yazmine, Laura, and Lorie,

Attached are the FSPs and ARFs for [REDACTED] and Blades. The Blades ARF dated 092518 was for the collection of GW samples from existing monitoring wells – the PFCs from this event went to the lab at Fort Meade. The Blades ARF dated 102318 were for the newly installed wells and the raw GW samples collected from the public supply wells. These went to Testamerica via Tier IV.

I am working on getting the QAPP. I am just checking with our QA folks that I have the most up to date version.

Thanks.

Nancy Shannon  
Principal Project Scientist  
Weston Solutions, Inc.  
856-581-4180 (w)  
215-704-5675 (c)

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.